Amendments to the claims:

11/10/2004 11:11

1. (currently amended) A golf bag comprising:

a generally tubular body attached at one end thereof to a top member and at the other end thereof to a bottom member;

KMC LEGAL

a shoulder strap having an upper end located near said top member and having a lower end located intermediate said top and bottom members; and

a mechanism for urging said shoulder strap into a retracted position and for allowing movement of said shoulder strap from said retracted position into an extended position; and said mechanism including an elastic cord connected to said upper end of said shoulder strap.

2. (canceled)

- 3. (currently amended) The golf bag of claim 21, wherein said mechanism further comprises an anchor for connecting said elastic cord to said bottom member.
- 4. (original) The golf bag of claim 3, wherein said mechanism further comprises a ring for connecting said elastic cord to an extension on said shoulder strap upper end.
- 5. (original) The golf bag of claim 4, wherein said extension on said shoulder strap upper end extends through said ring and is anchored to said top member.

11/10/2004 11:11

- 6. (original) The golf bag of claim 5, wherein said top member has an opening formed therein and wherein said extension on said shoulder strap upper end passes through said opening
- 7. (original) The golf bag of claim 6, wherein said anchor is releasable so that said elastic cord may be released from said anchor and said mechanism may be deactivated.
- 8. (original) The golf bag of claim 7, wherein said anchor comprises a pair of strips with overlapping end portions that are releasably held together.
- 9. (original) The golf bag of claim 8, further comprising releasable fastener means on the overlapping end portions of said strips.
- 10. (currently amended) In a golf bag having a generally tubular body attached at one end thereof to a top member and at the other end thereof to a bottom member, the improvement comprising:

a shoulder strap having an upper end located near said top member and having a lower end located intermediate said top and bottom members; and

resilient means for urging said shoulder strap into a retracted position and for allowing movement of said shoulder strap from said retracted position into an extended position; and

said resilient means including an elastic cord connected to said upper end of said shoulder strap.

- 11. (canceled).
- 12. (currently amended) The improvement of claim 1110, further comprising:
 an anchor connecting said elastic cord to said bottom member; and
 a ring connecting said elastic cord to an extension on said upper end of said shoulder strap.
- 13. (original) A golf bag comprising:

a generally tubular body attached at one end thereof to a top member and at the other end thereof to a bottom member;

a shoulder strap having an upper end located near said top member and having a lower end located intermediate said top and bottom members;

a mechanism for urging said shoulder strap into a retracted position and for allowing movement of said shoulder strap from said retracted position into an extended position;

said mechanism including an elastic cord connected to said upper end of said shoulder strap, an anchor connecting said elastic cord to said bottom member, and a ring connecting said elastic cord to an extension on said shoulder strap upper end;

said extension of said shoulder strap upper end extending through said ring and being anchored to said top member;

said top member having an opening formed therein and said extension on said shoulder strap upper end passing through said opening; and

said anchor being releasable so that said elastic cord may be released from said anchor and said mechanism may be deactivated.